


CONTEXT MAP

 \bigcirc

1:400



Playground Erosion Improvements

JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL

located at 130 Glengrove Ave W, Toronto, ON M4R 1P2 TDSB PROJECT TR-18-0728 Change Order 1 (DRAFT) - February 17, 2021

Landscape Architect:
Forest and Field Landscape Architecture Inc.

Ontario Land Surveyor: Frontop Surveying Inc. Ontario Land Surveyors

Arborist:

Bright Leaf Ltd.


DRAWING INDEX

L0.0	COVER SHEET
L1.0 A	EXISTING CONDITIONS & REMOVALS PLAN
L2.0 A	MATERIALS & PLANTING PLAN
L2.1 A	LAYOUT PLAN
L2.2 A	GRADING PLAN
L1.0 B	EXISTING CONDITIONS & REMOVALS PLAN
L2.0 B	MATERIALS & PLANTING PLAN
L2.1 B	LAYOUT PLAN
L2.2 B	GRADING PLAN
L3.0	SECTION & DETAILS
L3.1	DETAILS
L3.2	SECTION & DETAILS
L3.3	DETAILS



Forest and Field Landscape Architecture

> t 647 933 1152 info@forestandfield.ca



SURVEY NOTES

- 2. THIS SKETCH TO ILLUSTRATE TOPOGRAPHIC DETAIL
- 3. ELEVATIONS SHOWN HEREON ARE IN METERS AND
- TOPOGRAPHIC OBSERVATIONS SHOWN HEREON WERE COMPLETED ON SEPTEMBER 8, 2017 BY FRONTOP SURVEYING INC. ON BEHALF OF THE TDSB.
- 5. UNDERGROUND SERVICE/UTILITY LOCATIONS WERE NOT DETERMINED IN THE FIELD. UTILITIES MUST BE LOCATED IN THE FIELD PRIOR TO CONSTRUCTION.
- 6. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THE LOCAL BENCHMARKS HAVE NOT BEEN ALTERED OR DISTURBED AND THAT THE RELATIVE ELEVATIONS AND DESCRIPTIONS AGREE WITH THE INFORMATION SHOWN ON THIS SKETCH.

1. THIS IS NOT A PLAN OF SURVEY AND SHALL NOT BE USED FOR MORTGAGE OR TRANSACTION PURPOSES. BOUNDARY INFORMATION SHOWN HEREON HAS BEEN COMPILED FROM EXISTING SURVEY RECORDS.


- ARE RELATED TO THE CITY OF TORONTO STATION 022741860 WITH THE PUBLISHED ELEVATION VALUE OF 176.436 METRES.

REMOVALS LEGEND

WOODEN RETAINING WALL TO BE REMOVED SOIL TO BE REMOVED

FENCING TO BE PROTECTED





TREE PROTECTION FENCING (CITY OF TORONTO STANDARD)



——— PROPERTY BOUNDARY

Forest and Field Landscape Architecture


t 647 933 1152 info@forestandfield.ca

GENERAL NOTES:

- ALL WORKS SHALL CONFORM TO THE REQUIREMENTS, STANDARDS, AND DIRECTION OF THE TORONTO DISTRICT SCHOOL BOARD.
- 2. THE CONTRACTOR SHALL CONTACT THE LANDSCAPE ARCHITECT TO OBTAIN THE TORONTO DISTRICT SCHOOL BOARD'S APPROVAL ON ANY PROPOSED SUBSTITUTIONS IN MATERIALS, OR DEVIANCES FROM CONSTRUCTION METHODS, AS DESCRIBED ON THE DRAWINGS AND SPECIFICATIONS. THE TORONTO DISTRICT SCHOOL BOARD MAY NOT APPROVE SUBSTITUTIONS OR ALTERNATE METHODS. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH DRAWINGS AND SPECIFICATIONS WHICH MAY NICH LIDE DRAWINGS AND SPECIFICATIONS WHICH MAY INCLUDE REMOVAL OF ANY WORK NOT APPROVED BY THE TORONTO DISTRICT SCHOOL BOARD.
- THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE CONDITIONS ENCOUNTERED ON-SITE.
- THE CONTRACTOR SHALL STAKE OR SPRAY PAINT ALIGNMENT OR LOCATION OF ALL NEW FACILITIES PRIOR TO CARRYING OUT ANY EXCAVATIONS OR INSTALLATIONS, FOR VERIFICATION BY THE LANDSCAPE ARCHITECT.
- 5. THE CONTRACTOR SHALL PROTECT FROM DAMAGE ALL TREES OR PROPERTY ON TORONTO DISTRICT SCHOOL BOARD PROPERTY OR ON ADJACENT PROPERTIES, NOT INDICATED TO BE REMOVED. ANY DAMAGE SHALL BE IMMEDIATELY REPAIRED TO THE BOARD'S SATISFACTION.
- ANY ENVIRONMENTAL PROTECTION AND/OR MITIGATION WORKS INCLUDING EROSION AND SEDIMENT CONTROL WORKS THAT MAY BE REQUIRED IN ADDITION TO THOSE SET OUT IN THESE DOCUMENTS SHALL BE INSTALLED AS SOON AS POSSIBLE UPON APPROVAL OF THE TORONTO DISTRICT SCHOOL BOARD.
- 7. THE CONTRACTOR SHALL KEEP ALL CONSTRUCTION RELATED ACCESS AND ACTIVITIES WITHIN THE DESIGNATED "LIMIT OF WORK AREA."
- 8. ALL PORTIONS OF THE WORK MUST BE AVAILABLE AT ALL TIMES WHILE WORK IS BEING PERFORMED, FOR INSPECTION BY DESIGNATED REPRESENTATIVES OF THE TORONTO DISTRICT SCHOOL BOARD AND/OR THE LANDSCAPE ARCHITECT.
- ALL QUESTIONS, ALTERNATE PROPOSALS, REQUESTS FOR INFORMATION OR INSPECTION, ETC. SHALL BE DIRECTED TO THE LANDSCAPE ARCHITECT.
- 10. EMERGENCY CONTACT INFORMATION FOR THE TORONTO DISTRICT SCHOOL BOARD WILL BE PROVIDED TO THE CONTRACTOR PRIOR TO CONSTRUCTION START-UP.

No.	Issued Description	YYYY-MM-D
01	Issued for Review	2019-12-0
02	Issued for Draft Tender	2019-01-0
03	Issued for Tender	2019-01-2
04	Issued for Construction	2020-09-1
05	Change Order 01 (DRAFT)	2020-12-2
06	Change Order 01 (DRAFT)	2021-02-1





- be maintained can be 1.2m (4ft.) high and consist of orange plastic web snow fencing on a wood frame made of 2 \times 4s .
- (3) Where some excavate or fill has to be temporarily located near a tree protection barrier, plywood must be used to ensure no material enters the Tree Protection Zone.
- (4) No construction activity, grade changes, surface treatment or excavations of any kind is permitted within the Tree Protection Zone.




Parks, Forestry and Recreation

February 2016 Detail TP-1


Project Location:

TDSB PROJECT TR-18-0728 JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL 130 Glengrove Ave West Toronto, Ontario, M4R 1P2



Sheet Title:

EXISTING CONDITIONS & REMOVALS PLAN



MATERIALS LEGEND



MULCH



ASPHAL



NEW CHAIN-LINK FENCING



NEW DECIDUOUS TREES

FENCING TO BE PROTECTED



EXISTING DECIDUOUS TREES TO BE PROTECTED WITH MINIMUM CITY OF TORONTO TREE PROTECTION ZONE




TREE PROTECTION FENCING (CITY OF TORONTO STANDARD)

CONSTRUCTION FENCING AT LIMIT OF WORK

4. THE CONTRACTOR SHALL STAKE OR SPRAY PAINT
ALIGNMENT OR LOCATION OF ALL NEW FACILITIES PRIOR
TO CARRYING OUT ANY EXCAVATIONS OR INSTALLATIONS,
FOR VERIFICATION BY THE LANDSCAPE ARCHITECT.

5. THE CONTRACTOR OWN PROCE



Forest and Field

Landscape Architecture

 ALL WORKS SHALL CONFORM TO THE REQUIREMENTS, STANDARDS, AND DIRECTION OF THE TORONTO DISTRICT SCHOOL BOARD.

2. THE CONTRACTOR SHALL CONTACT THE LANDSCAPE ARCHITECT TO OBTAIN THE TORONTO DISTRICT SCHOOL BOARD'S APPROVAL ON ANY PROPOSED SUBSTITUTIONS IN MATERIALS, OR DEVIANCES FROM CONSTRUCTION METHODS, AS DESCRIBED ON THE DRAWINGS AND SPECIFICATIONS. THE TORONTO DISTRICT SCHOOL BOARD MAY NOT APPROVE SUBSTITUTIONS OR ALTERNATE METHODS. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH DRAWINGS AND SPECIFICATIONS WHICH MAY INCLUDE REMOVAL OF ANY WORK NOT APPROVED BY THE TORONTO DISTRICT SCHOOL BOARD.

 THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE CONDITIONS ENCOUNTERED ON-SITE.

t 647 933 1152 info@forestandfield.ca

GENERAL NOTES:

- ANY ENVIRONMENTAL PROTECTION AND/OR MITIGATION WORKS INCLUDING EROSION AND SEDIMENT CONTROL WORKS THAT MAY BE REQUIRED IN ADDITION TO THOSE SET OUT IN THESE DOCUMENTS SHALL BE INSTALLED ASOON AS POSSIBLE UPON APPROVAL OF THE TORONTO DISTRICT SCHOOL BOARD.
- 7. THE CONTRACTOR SHALL KEEP ALL CONSTRUCTION RELATED ACCESS AND ACTIVITIES WITHIN THE DESIGNATED "LIMIT OF WORK AREA."
- 8. ALL PORTIONS OF THE WORK MUST BE AVAILABLE AT ALL TIMES WHILE WORK IS BEING PERFORMED, FOR INSPECTION BY DESIGNATED REPRESENTATIVES OF THE TORONTO DISTRICT SCHOOL BOARD AND/OR THE LANDSCAPE ARCHITECT.
- ALL QUESTIONS, ALTERNATE PROPOSALS, REQUESTS FOR INFORMATION OR INSPECTION, ETC. SHALL BE DIRECTED TO THE LANDSCAPE ARCHITECT.
- 10. EMERGENCY CONTACT INFORMATION FOR THE TORONTO DISTRICT SCHOOL BOARD WILL BE PROVIDED TO THE CONTRACTOR PRIOR TO CONSTRUCTION START-UP.

 No.
 Issued Description
 YYYY-MM-DD

 01
 Issued for Review
 2019-12-05

 02
 Issued for Draft Tender
 2019-01-07

 03
 Issued for Tender
 2019-01-29

 04
 Issued for Construction
 2020-09-15


 05
 Change Order 01 (DRAFT)
 2020-12-22

 06
 Change Order 01 (DRAFT)
 2021-02-17



Project Location:

TDSB PROJECT TR-18-0728 JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL 130 Glengrove Ave West Toronto, Ontario, M4R 1P2






MATERIALS & PLANTING PLAN

Scale 1:10

Sheet Num

L2.0 B



Forest and Field Landscape Architecture

t 647 933 1152 info@forestandfield.ca

GENERAL NOTES:


- ALL WORKS SHALL CONFORM TO THE REQUIREMENTS, STANDARDS, AND DIRECTION OF THE TORONTO DISTRICT SCHOOL BOARD.
- 2. THE CONTRACTOR SHALL CONTACT THE LANDSCAPE ARCHITECT TO OBTAIN THE TORONTO DISTRICT SCHOOL BOARD'S APPROVAL ON ANY PROPOSED SUBSTITUTIONS IN MATERIALS, OR DEVIANCES FROM CONSTRUCTION METHODS, AS DESCRIBED ON THE DRAWINGS AND SPECIFICATIONS. THE TORONTO DISTRICT SCHOOL BOARD MAY NOT APPROVE SUBSTITUTIONS OR ALTERNATE METHODS. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH DRAWINGS AND SPECIFICATIONS WHICH MAY INCLUDE REMOVAL OF ANY WORK NOT APPROVED BY THE TORONTO DISTRICT SCHOOL BOARD.
- THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE CONDITIONS ENCOUNTERED ON-SITE.
- THE CONTRACTOR SHALL STAKE OR SPRAY PAINT ALIGNMENT OR LOCATION OF ALL NEW FACILITIES PRIOR TO CARRYING OUT ANY EXCAVATIONS OR INSTALLATIONS, FOR VERIFICATION BY THE LANDSCAPE ARCHITECT.
- 5. THE CONTRACTOR SHALL PROTECT FROM DAMAGE ALL TREES OR PROPERTY ON TORONTO DISTRICT SCHOOL BOARD PROPERTY OR ON ADJACENT PROPERTIES, NOT INDICATED TO BE REMOVED. ANY DAMAGE SHALL BE IMMEDIATELY REPAIRED TO THE BOARD'S SATISFACTION.
- ANY ENVIRONMENTAL PROTECTION AND/OR MITIGATION WORKS INCLUDING EROSION AND SEDIMENT CONTROL WORKS THAT MAY BE REQUIRED IN ADDITION TO THOSE SET OUT IN THESE DOCUMENTS SHALL BE INSTALLED AS SOON AS POSSIBLE UPON APPROVAL OF THE TORONTO DISTRICT SCHOOL BOARD.
- 7. THE CONTRACTOR SHALL KEEP ALL CONSTRUCTION RELATED ACCESS AND ACTIVITIES WITHIN THE DESIGNATED "LIMIT OF WORK AREA."
- ALL PORTIONS OF THE WORK MUST BE AVAILABLE AT ALL TIMES WHILE WORK IS BEING PERFORMED, FOR INSPECTION BY DESIGNATED REPRESENTATIVES OF THE TORONTO DISTRICT SCHOOL BOARD AND/OR THE LANDSCAPE ARCHITECT.
- ALL QUESTIONS, ALTERNATE PROPOSALS, REQUESTS FOR INFORMATION OR INSPECTION, ETC. SHALL BE DIRECTED TO THE LANDSCAPE ARCHITECT.
- 10. EMERGENCY CONTACT INFORMATION FOR THE TORONTO DISTRICT SCHOOL BOARD WILL BE PROVIDED TO THE CONTRACTOR PRIOR TO CONSTRUCTION START-UP.

No.	Issued Description	YYYY-MM-DD
01	Issued for Review	2019-12-05
02	Issued for Draft Tender	2019-01-07
03	Issued for Tender	2019-01-29
04	Issued for Construction	2020-09-15
05	Change Order 01 (DRAFT)	2020-12-22
06	Change Order 01 (DRAFT)	2021-02-17



Project Location:


TDSB PROJECT TR-18-0728 JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL 130 Glengrove Ave West Toronto, Ontario, M4R 1P2





Sheet Title:

LAYOUT PLAN



GRADING LEGEND

, ,0° EXISTING ELEVATION (SURVEY)

+ 220.58 EX EXISTING ELEVATION TO BE MAINTAINED IN AREA OF WORK

+ 220.55 DESIGN ELEVATION

_____1.0% SLOPE DIRECTION

_____152.90 _____ EXISTING CONTOUR LINES

_____ 152.90 ____ DESIGN CONTOUR LINES

Forest and Field Landscape Architecture

t 647 933 1152 info@forestandfield.ca

GENERAL NOTES:

- ALL WORKS SHALL CONFORM TO THE REQUIREMENTS, STANDARDS, AND DIRECTION OF THE TORONTO DISTRICT SCHOOL BOARD.
- 2. THE CONTRACTOR SHALL CONTACT THE LANDSCAPE ARCHITECT TO OBTAIN THE TORONTO DISTRICT SCHOOL BOARD'S APPROVAL ON ANY PROPOSED SUBSTITUTIONS IN MATERIALS, OR DEVIANCES FROM CONSTRUCTION METHODS, AS DESCRIBED ON THE DRAWINGS AND SPECIFICATIONS. THE TORONTO DISTRICT SCHOOL BOARD MAY NOT APPROVE SUBSTITUTIONS OR ALTERNATE METHODS. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH DRAWINGS AND SPECIFICATIONS WHICH MAY INCLUDE REMOVAL OF ANY WORK NOT APPROVED BY THE TORONTO DISTRICT SCHOOL BOARD.
- 3. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE CONDITIONS ENCOUNTERED ON-SITE.
- THE CONTRACTOR SHALL STAKE OR SPRAY PAINT ALIGNMENT OR LOCATION OF ALL NEW FACILITIES PRIOR TO CARRYING OUT ANY EXCAVATIONS OR INSTALLATIONS, FOR VERIFICATION BY THE LANDSCAPE ARCHITECT.
- 5. THE CONTRACTOR SHALL PROTECT FROM DAMAGE ALL TREES OR PROPERTY ON TORONTO DISTRICT SCHOOL BOARD PROPERTY OR ON ADJACENT PROPERTIES, NOT INDICATED TO BE REMOVED. ANY DAMAGE SHALL BE IMMEDIATELY REPAIRED TO THE BOARD'S SATISFACTION.
- 6. ANY ENVIRONMENTAL PROTECTION AND/OR MITIGATION WORKS INCLUDING EROSION AND SEDIMENT CONTROL WORKS THAT MAY BE REQUIRED IN ADDITION TO THOSE SET OUT IN THESE DOCUMENTS SHALL BE INSTALLED AS SOON AS POSSIBLE UPON APPROVAL OF THE TORONTO DISTRICT SCHOOL BOARD.
- 7. THE CONTRACTOR SHALL KEEP ALL CONSTRUCTION RELATED ACCESS AND ACTIVITIES WITHIN THE DESIGNATED "LIMIT OF WORK AREA."
- ALL PORTIONS OF THE WORK MUST BE AVAILABLE AT ALL TIMES WHILE WORK IS BEING PERFORMED, FOR INSPECTION BY DESIGNATED REPRESENTATIVES OF THE TORONTO DISTRICT SCHOOL BOARD AND/OR THE LANDSCAPE ARCHITECT.
- ALL QUESTIONS, ALTERNATE PROPOSALS, REQUESTS FOR INFORMATION OR INSPECTION, ETC. SHALL BE DIRECTED TO THE LANDSCAPE ARCHITECT.
- EMERGENCY CONTACT INFORMATION FOR THE TORONTO DISTRICT SCHOOL BOARD WILL BE PROVIDED TO THE CONTRACTOR PRIOR TO CONSTRUCTION START-UP.

 No.
 Issued Description
 YYYY-MM-DD

 01
 Issued for Review
 2019-12-05

 02
 Issued for Draft Tender
 2019-01-07

 03
 Issued for Tender
 2019-01-29

 04
 Issued for Construction
 2020-09-15


 05
 Change Order 01 (DRAFT)
 2020-12-22

 06
 Change Order 01 (DRAFT)
 2021-02-17



Project Location:

TDSB PROJECT TR-18-0728 JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL 130 Glengrove Ave West Toronto, Ontario, M4R 1P2






GRADING PLAN

Scale 1:1

Sheet Number

L2.2 B



EXISTING WROUGHT IRON FENCE COMPONENTS*:

POSTS: 2"x2" HSS SQUARE POST POST CAPS: PYRAMIDAL 1-1/2" ABOVE

TOP & BOTTOM RAILS: 2"x2" L-CHANNEL (DOUBLE RAIL AT TOP) PICKETS: 1/2" SOLID SQUARE BAR

* CONTRACTORT TO VERIFY ALL OF THE ABOVE ON SITE

NEW GATE COMPONENTS:
- NEW OR SALVAGED MATCHING TOP AND BOTTOM RAILS AND PICKETS

- NEW POSTS/FRAME

- NEW POSTS/FRANIE - HINGES - LOCKABLE LATCH - CLEAR OPENING WIDTH MIN. 1.5m - IF NEW POSTS ARE REQUIRED,

FOOTING STO BE MIN. 1219mm DEPTH

CONTRACTOR TO PROVIDE SHOP DRAWINGS TO APPROVAL



TABLE AND LOG SEATING

NEW GATE AT EXISTING PICKET FENCE 2

Forest and Field Landscape Architecture

t 647 933 1152

GENERAL NOTES:

- ALL WORKS SHALL CONFORM TO THE REQUIREMENTS, STANDARDS, AND DIRECTION OF THE TORONTO DISTRICT SCHOOL BOARD.
- 2. THE CONTRACTOR SHALL CONTACT THE LANDSCAPE ARCHITECT TO OBTAIN THE TORONTO DISTRICT SCHOOL BOARD'S APPROVAL ON ANY PROPOSED SUBSTITUTIONS IN MATERIALS, OR DEVIANCES FROM CONSTRUCTION METHODS, AS DESCRIBED ON THE DRAWINGS AND SPECIFICATIONS. THE TORONTO DISTRICT SCHOOL BOARD MAY NOT APPROVE SUBSTITUTIONS OR ALTERNATE METHODS. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH DRAWINGS AND SPECIFICATIONS WHICH MAY INCLUDE REMOVAL OF ANY WORK NOT APPROVED BY THE TORONTO DISTRICT SCHOOL BOARD.
- THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE CONDITIONS ENCOUNTERED ON-SITE.
- THE CONTRACTOR SHALL STAKE OR SPRAY PAINT ALIGNMENT OR LOCATION OF ALL NEW FACILITIES PRIOR TO CARRYING OUT ANY EXCAVATIONS OR INSTALLATIONS, FOR VERIFICATION BY THE LANDSCAPE ARCHITECT.
- 5. THE CONTRACTOR SHALL PROTECT FROM DAMAGE ALL TREES OR PROPERTY ON TORONTO DISTRICT SCHOOL BOARD PROPERTY OR ON ADJACENT PROPERTIES, NOT INDICATED TO BE REMOVED. ANY DAMAGE SHALL BE IMMEDIATELY REPAIRED TO THE BOARD'S SATISFACTION.
- ANY ENVIRONMENTAL PROTECTION AND/OR MITIGATION WORKS INCLUDING EROSION AND SEDIMENT CONTROL WORKS THAT MAY BE REQUIRED IN ADDITION TO THOSE SET OUT IN THESE DOCUMENTS SHALL BE INSTALLED AS SOON AS POSSIBLE UPON APPROVAL OF THE TORONTO DISTRICT SCHOOL BOARD.
- 7. THE CONTRACTOR SHALL KEEP ALL CONSTRUCTION RELATED ACCESS AND ACTIVITIES WITHIN THE DESIGNATED "LIMIT OF WORK AREA."
- 8. ALL PORTIONS OF THE WORK MUST BE AVAILABLE AT ALL TIMES WHILE WORK IS BEING PERFORMED, FOR INSPECTION BY DESIGNATED REPRESENTATIVES OF THE TORONTO DISTRICT SCHOOL BOARD AND/OR THE LANDSCAPE ARCHITECT.
- ALL QUESTIONS, ALTERNATE PROPOSALS, REQUESTS FOR INFORMATION OR INSPECTION, ETC. SHALL BE DIRECTED TO THE LANDSCAPE ARCHITECT.

 No.
 Issued Description

 01
 Issued for Review

 02
 Issued for Draft Tender

 03
 Issued for Tender

 04
 Issued for Construction

 05
 Change Order 01 (DRAFT)

 06
 Change Order 01 (DRAFT)
 YYYY-MM-DD 2019-12-05 2019-01-07 2019-01-29 2020-09-15 2020-12-22 2021-02-17



Project Location:

TDSB PROJECT TR-18-0728 JOHN ROSS ROBERTSON JUNIOR PUBLIC SCHOOL 130 Glengrove Ave West Toronto, Ontario, M4R 1P2

Sheet Title:

DETAILS

Scale 1:100